

Material Safety Data Sheet

Copper Powder

Section 1 - Chemical Product and Company Identification

MSDS Name: Copper powder or dust

Company Identification:

Metrochem Metal Powders Pvt Ltd,

G-1/79-80, RIICO Industrial Area,

Deoli (Tonk-Rajasthan)-INDIA – 304804

Emergency Contact: +91-96600-86529

Section 2 - Composition, Information on Ingredients

| CAS# | Chemical Name | Percent |
|-----------|---------------|---------|
| 7440-50-8 | Copper | 99.0 |

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: red to brown powder.

Warning! Flammable solid. Can be explosive when exposed to heat or flames. Causes respiratory tract irritation. Causes eye and skin irritation. May cause lung damage. Inhalation of fumes may cause metal-fume fever. May cause liver and kidney damage.

Target Organs: Kidneys, liver, lungs.

Potential Health Effects

Eye: Causes eye irritation.

Skin: Causes skin irritation. May cause skin discoloration.

Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

May cause liver and kidney damage.

Inhalation: Dust is irritating to the respiratory tract. Inhalation of fumes may cause metal fume fever, which is characterized by flu-like symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count.

Chronic: Prolonged or repeated skin contact may cause dermatitis. May cause liver and kidney damage. May cause lung damage.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.

Ingestion: Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Dust can be an explosion hazard when exposed to heat or flame. Flammable solid. May burn rapidly with flare burning effect. May re-ignite after fire is extinguished. Finely divided dusts may exhibit pyrophoric tendencies.

Extinguishing Media: Use dry sand, Met-L-X powder, or G-1 graphite powder. Contact professional fire-fighters immediately. Use dry sand, graphite powder, dry sodium chloride-based extinguishers. Dousing metallic fires with water may generate hydrogen gas, an extremely dangerous explosion hazard, particularly if fire is in a confined environment.

Flash Point: Not applicable.

Autoignition Temperature: Not applicable.

Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 2; Flammability: 2; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal. Scoop up with a nonsparking tool, then place into a suitable container for disposal. Avoid generating dusty conditions. Remove all sources of ignition.

Section 7 - Handling and Storage

Handling: Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with skin and eyes. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep away from heat, sparks and flame. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Storage: Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Do not expose to air.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Section 9 - Physical and Chemical Properties

Physical State: Powder

Appearance: red to brown

Odor: none reported

pH: Not available.

Evaporation Rate: Not applicable.

Viscosity: Not applicable.

Boiling Point: 2595 deg C
Freezing/Melting Point: 1083 deg C
Decomposition Temperature: Not available.
Solubility: Insoluble in water.
Specific Gravity/Density: 8.92
Molecular Formula: Cu
Molecular Weight: 63.54

Section 10 - Stability and Reactivity

Chemical Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Conditions to Avoid: Ignition sources, dust generation, moisture, exposure to air, excess heat.

Incompatibilities with Other Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Copper fumes.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

- **Routes of Exposure:** Eye contact. Ingestion. Inhalation. Skin contact.
- **Chronic Toxic Effects:** This product has no known chronic effects. Repeated or prolonged exposure to this compound is not known to aggravate medical conditions.
- **Acute Toxic Effects:** Irritating to the skin and eyes on contact. Irritation to the eyes will cause watering and redness. Reddening, scaling, and itching are characteristics of skin inflammation. Follow safe industrial hygiene practices and always wear protective equipment when handling this compound. Inhalation may irritate the respiratory tract. Symptoms may include coughing, shortness of breath, sore throat and runny nose. Symptoms of metal fume fever include chills, fever, muscular pain, nausea, and vomiting.

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

- **Waste Disposal Method:** Waste disposal should be in accordance with existing state and local environmental regulations

Section 14 - Transport Information

- **Transportation over Land, Sea or By Air:** There is no such regulations. The material should not be in contact with water or Humidity.

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 7440-50-8 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

CAS# 7440-50-8: 5000 lb final RQ (no reporting of releases of this hazardous substance is required)

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 7440-50-8: immediate, delayed, fire.

Section 313

This material contains Copper (CAS# 7440-50-8, 100%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA. CAS# 7440-50-8 is listed as a Priority Pollutant under the Clean

Water Act. CAS# 7440-50-8 is listed as a Toxic Pollutant under the Clean Water Act.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 7440-50-8 can be found on the following state right to know lists:

California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

Not available.

Risk Phrases:

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

WGK (Water Danger/Protection)

CAS# 7440-50-8: 0

Canada - DSL/NDSL

CAS# 7440-50-8 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of D2B, B4.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 7440-50-8 is listed on the Canadian Ingredient Disclosure List.

Section 16 - Additional Information

The information contained herein is based on the present state of our knowledge. It is believed to be reliable but no representation, guarantee of any kind are made.